THE DEFINITION OF A QUALITY COFFEE SYSTEM



primo

TOUCH & MAXI

westomatic
British Vending Excellence Since 1966

www.westomatic.com

PRIMO TOUCH AND MAXI

The same machine two different ways

TOUCH - TOUCH SCREEN | **MAXI** - BUTTON KEYPAD

Freshly ground, expertly brewed

FOUR STEPS TO A PERFECT CUP

1 BEANS

Ample canister sizes 1.8kg Bean hopper, plus 2 x 1.2 kg canisters as standard for chocolate and powdered milk. *(Hopper and canister extensions available)*

2 GRIND

Swiss experts Ditting supply the premium grinder, featuring a ceramic blade.

3 TEMPERATURE

The Primo high quality boiler is not fully pressurised and therefore benefits from avoiding high-pressure regulation, yet still ensures consistency in temperature, drink after drink.

4 PRESSURE

Featuring a rotary vane pump. The Primo's software and hardware work in harmony in pursuit of perfect pressure.



Primo Maxi

GERMAN DESIGN AWARD NOMINEE 2019



Primo Touch

ULTIMATE Barista Range! Discover the Primo Compact, Touch, Maxi, Midi and Mini.

NEED BRANDING?

Add a custom wrap to your Touch or Maxi to draw in customers.

Adding a video advertisements to the 7” Screen (Touch only) will give it the edge.





BASE CABINET

Great for storing ingredient refills, milk, sugar and stirrers or storing pump & tank kits.

Accessories

EXTENSIONS

Canister and Bean hopper extensions are available to maximise throughput.



LOOKING FOR ANY OTHER OF OUR BROCHURES... CLICK HERE TO SEE MORE

Primo Touch / Maxi

Technical Specification

ITEM	DESCRIPTION
Content XL Espresso brewer	9.5 - 13.4 gr. / 150 - 230 ml cup size
Brewing Time	Cup - (120ml): 20 - 30 seconds brewing time Thermos Jug - (1.5 ltr): ca. 60 seconds
Hourly Capacity	120 cups (120ml) / 14 litres hot water
Content Bean Hopper	1,500gr./150 cups
Extension for Bean Hopper to	2.2 kg (± 75 drinks)
Rated Power	230V / 50-60Hz / 2275W
Adjustable cup tray	60 - 115 mm
Boiler Capacity	1.1 ltr 1800W
Max Drain Height	167mm
Water Connection	3/4"
Large Waste Compartment	7 Ltr (abt. 130 cups)

Compatible with various payment systems (MDB)



OPTIONAL ITEMS	
Pump & Tank Kit	25 Litre
Base Cabinet	(H) 965 x (W) 420 x (D) 646mm



DIMENSIONS	
Freevend (mm)	(H) 793 x (W) 409 x (D) 565mm
Payvend (mm)	(H) 793 x (W) 560 x (D) 565mm
Unpacked/Shipping Weight (kg approx)	36kg / 41kg

CAPACITY (APPROXIMATELY FOR A 9OZ DRINK)	
Whole Bean Coffee	1500g / 150 drinks
Granulated Milk	500g / 100 drinks
Chocolate	1200g / 80 drinks

ENERGY CONSUMPTION	
Idle Phase (watt/24hr)	682
EVA/EMP Rating	A+

WATER REQUIREMENTS	
Pressure (Min)	200 kpa (2 Bar)
Pressure (Max)	600 kpa (6 Bar)

ELECTRICAL SERVICES	
Voltage (Volts AC +/- 10%)	230
Current (amps)	13
Frequency (Hz)	50 - 60

E&OE Westomatic Vending Services Limited reserve the right to alter specifications and availability without notice.

Tel: +44 (0) 1626 323100 • Fax: +44 (0) 1626 369400
sales@westomatic.com • www.westomatic.com

Westomatic Vending Services Ltd, Units 7-8 Block 4 Forde Court, Forde Road, Newton Abbot, Devon, United Kingdom, TQ12 4BT